

ASSEMBLY GUIDE

New Upholstered Space Saving Bed Range



Richmond



Ludlow



Minster



Woking



Ripley



Hornsey



Harrow



Stockport

PLEASE READ THE USER GUIDE BEFORE FOLLOWING THESE INSTRUCTIONS

Please make sure that all the surfaces that you lean any of our products on are clean and soft so as not to mark or damage the bed.


Please ensure that you wash your hands or that your gloves are very clean even after and during unwrapping the products, to not mark the finished product in any way. We wish you to have an excellent clean Warren Evans bed!

1. When unwrapping these beds please keep all the wrapping intact should it be needed for returns. Make a space in your bedroom for where the bed will actually be positioned.

Start the assembly process by leaning the head end against the wall of choice.




2. Open the 3 largest boxes, one of which contains both the foot end and the head end of the bed (this box also contains screws, bolts and allen key inside).

Place the head end on its feet leaning against your wall of choice. Place the foot end on its feet to one side. (Do not slide the headboard onto the head end until instructed to do so).



3. There are 12 bolts, 3 that go in each of the legs. Put each bolt in but only **one** full turn so that it's loosely connected.

4. Make sure the exterior of the side (A) overlaps the head end (B).




Make sure that the sides of the bed are facing up ↑

Hook the bracket (C) over the bolts (D), one side at a time, onto the headboard first. Then hook the foot end to the other end of the sides.

5. Now using just your fingers tighten all 12 bolts as much as possible all the way around all 4 legs.



AERIAL VIEW




Shown here is an aerial view looking down on your bedframe, please 'square it up' so that it is not ridiculously out of kilt.

Now tighten the 12 bolts firmly (but not super tight) with the allen key provided.

6. If your bed is a super king size or a small super king size (6ft or 5ft 6inch wide) you will need to insert the centre beam.



7. Open the plastic wrapped set of slats and space them on the bed frame as shown.





Screw down both ends of the slat at the head end first.

Do the same with the foot end slat.

Do the same with the "middle slat" (see arrows). But make sure that the tip of this slat is pushed up against the inner side of the bed as much as possible while putting in the slat screws at both ends of this slat.


Screw down the rest of the slats.

8. Slot the headboard over the posts (usually takes two people) but please keep it horizontal as it is lowered into place.



DISASSEMBLING YOUR BED

9. To disassemble, reverse the order of the assembly instructions, but first number the slats (1, 2, 3, 4, 5 etc...) as shown so that they screw back into the same places when reassembling.



Make sure hands and surfaces are clean and all of the parts of the bed do not get damaged against rough or hard surfaces. Thank you.